



ERGOPULSE PTI

	Bolt	Square	Torque	rangeª	Free	Wei	ight		cs	tion	onsum- under oad	Rec.	Air inlet	
Model	size mm	drive in	Nm	ft lb	speed r/min	kg	lb	Length mm	distance mm	I/s	cfm	hose size mm	thread in	Ordering No
High pressure														
EP 6PTI32 HR10-MT	M6-M8	3/8	16-32	12-23	8500	0,9	1,9	164	22	7	15	8	1/4	8431 0381 40
EP 7PTI55 HR10-MT	M8-M10	3/8	30-55	22-40	7200	1,2	2,5	176	25	9	19	10	1/4	8431 0381 50
EP 8PTI70 HR10-MT	M10	3/8	40-70	29-51	6900	1,2	2,5	176	25	9	19	10	1/4	8431 0381 55
Low pressure														
EP 6PTI HR10-MT-L	M6	3/8	13-25	9-18	7900	0,9	2,0	164	22	7	15	8	1/4	8431 0382 40
EP 7PTI HR10-MT-L	M6	3/8	23-35	17-26	6200	1,2	2,5	164	22	7	15	10	1/4	8431 0382 50
EP 8PTI HR10-MT-L	M6-M8	3/8	33-45	24-33	6300	1,2	2,5	164	22	7	15	10	1/4	8431 0382 55


Protective cover is included for every tool

^a To be used as a guide only, final torque depends on type of joint, accessories used and air pressure.

Accessory	Ordering number	
Oil filling kit	4250 3220 90	
Protective cover	4250 3206 00	

See more of our accessories on

http://www.atlascopco.co.uk/en-uk/itba/products/air-line-infrastructure



COMMITTED TO SUSTAINABLE PRODUCTIVITY

We stand by our responsibilities towards our customers, towards the environment and the people around us.

We make performance stand a test of time.

This is what we call – Sustainable Productivity.



www.atlascopco.com